


Key operated chucks

Medium duty for professional users of power tools, bench drilling machines, and woodworking machinery.


Heavy duty for production drilling machines and industrial power tools.

Packed in individual cartons with key



Model No.	Drilling capacity mm	Mount	Through hole diameter mm	With key	A mm	B mm	C mm	Range	Weight g						
A04J0	0.5-4	JACOBS 0	-	K0	22	29	35	Medium duty	80						
A06B10	0.3-6	DIN B10	-	KS1	30	44	54	Medium duty	140						
A06J1		JACOBS 1	-												
A06F38		Female thr. 3/8" x 24	-												
A06F38R		Female thr. 3/8" x 24	5.5												
AS06J1	0.3-6.5	JACOBS 1	-	KS1	30	43	53	Heavy duty	145						
AS06F38		Female thr. 3/8" x 24	-												
A08B12	0.3-8	DIN B12	-	KS1	30	44	54	Medium duty	140						
A08J1		JACOBS 1	-												
A08F38		Female thr. 3/8" x 24	-												
A08F38R		Female thr. 3/8" x 24	5.5												
A08F12		Female thr. 1/2" x 20	-												
A08F12R		Female thr. 1/2" x 20	6.5												
AP08B12	0-8	DIN B12	-	KS2	36.5	51	60	Heavy duty	225						
AP08J2		JACOBS 2	-												
A10B12	0.5-10	DIN B12	-	KS2	36.5	51	60	Medium duty	220						
A10J2		JACOBS 2	-												
A10F38		Female thr. 3/8" x 24	-												
A10F38R		Female thr. 3/8" x 24	5.5												
A10F12		Female thr. 1/2" x 20	-												
A10F12R		Female thr. 1/2" x 20	6.5												
AP10B16	0.5-10	DIN B16	-	KS2	42.7	62	76	Heavy duty	375						
AP10J2		JACOBS 2	-												
AS10J2	0.5-10	JACOBS 2	-	KS2	36.5	51	60	Heavy duty	225						
AS10F38R		Female thr. 3/8" x 24	5.5												
AS10F12R		Female thr. 1/2" x 20	6.5												
A13B12	1.5-13	DIN B12	-	KS2	42.5	59	73	Medium duty	370						
A13B16		DIN B16	-												
A13J2		JACOBS 2	-												
A13J6		JACOBS 6	-												
A13J33		JACOBS 33	-												
A13F38		Female thr. 3/8" x 24	-												
A13F38R		Female thr. 3/8" x 24	5.5												
A13F12		Female thr. 1/2" x 20	-												
A13F12R		Female thr. 1/2" x 20	6.5												
A13F14		Female thr. M14 x 2	-												
A13F18		Female thr. M18 x 2.5	-												
* A13F12PKR		Female thr. 1/2" x 20	6.5							KS2PK	42.7	59	74	H.D. percussion	370
AS13J6		1.5-13	JACOBS 6							-	KS2PK	42.5	59	76	Heavy duty
AS13J33	JACOBS 33		-	77											
AS13F38R	Female thr. 3/8" x 24		5.5	73											
AS13F12R	Female thr. 1/2" x 20		6.5	73											
AP13B16	0.5-13	DIN B16	-	KS3	51	72	92	Heavy duty	635						
AP13J6		JACOBS 6	-												
AP13J2		JACOBS 2	-												
AP13J33		JACOBS 33	-												
AP13F58		Female thr. 5/8" x 16	-												
AP16B16	2.5-16	DIN B16	-	KS3	51	72	92	Medium duty	635						
AP16B18		DIN B18	-												
AP16J6		JACOBS 6	-												
AP16J33		JACOBS 33	-												
AP16F12		Female thr. 1/2" x 20	-												
AP16F12R		Female thr. 1/2" x 20	6.5												
AP16F18		Female thr. M18 x 2.5	-												
AP16F58		Female thr. 5/8" x 16	-												
AP16F58R		Female thr. 5/8" x 16	6.5												
AS16F12	2.5-16	Female thr. 1/2" x 20	-	KS3	51	67	87	Heavy duty	600						
APP16B18	0.5-16	DIN B18	-	KS3	60	80	104	Heavy duty	950						
APP16J6		JACOBS 6	-												
APP16J3		JACOBS 3	-												
APP16F58		Female thr. 5/8" x 16	-												
AP20B22	5-20	DIN B22	-	KS3	60	89	112	Heavy duty	970						
AP20J3		JACOBS 3	-												
AP20F34		Female thr. 3/4" x 16	-												
AP20F58		Female thr. 5/8" x 16	-												
AP26B24	5-26	DIN B24	-	K20	75	114	139	Heavy duty	2095						
AP26J4		JACOBS 4	-												

* Model numbers ending in letter R indicate chuck supplied with through hole to accommodate a left hand locking screw for reversing tools. Model A13F12PKR is designed to give exceptional gripping power on heavy duty drilling applications.




Standard duty key operated chucks the popular chucks for portable power tools

Model numbers ending in letter R indicate chuck supplied with through hole to accommodate a left hand locking screw for reversing tools.

Model No.	Drilling capacity mm	Mount	Through hole diameter mm	With key	A mm	B mm	C mm	Packaging style	Weight g						
AH06F38R	0-6	Female thr. 3/8" x 24	5.5	KH810	30	40	50,5	Individual box	112						
AH06F38RB								Blister card							
AH08M38	0-8	Male thr. 3/8" x 24	-	KH810	30	43	52	Individual box	135						
AH08M38B		Male thr. 3/8" x 24	-					Blister card							
AH08F38		Female thr. 3/8" x 24	-					Individual box							
AH08F38R		Female thr. 3/8" x 24	5.5					Individual box							
AH08F38B		Female thr. 3/8" x 24	-					Blister card							
AH08F38RB		Female thr. 3/8" x 24	5.5					Blister card							
AH10B12	1.5-10	DIN B12	-	KH810	33	49	60	Individual box	160						
AH10M38		Male thr. 3/8" x 24	-					Individual box							
AH10M38B		Male thr. 3/8" x 24	-					Blister card							
AH10F38		Female thr. 3/8" x 24	-					Individual box							
AH10F38R		Female thr. 3/8" x 24	5.5					Individual box							
AH10F38B		Female thr. 3/8" x 24	-					Blister card							
AH10F38RB		Female thr. 3/8" x 24	5.5					Blister card							
AH10F12		Female thr. 1/2" x 20	-					Individual box							
AH10F12R		Female thr. 1/2" x 20	6.5					Individual box							
AH10F12B		Female thr. 1/2" x 20	-					Blister card							
AH10F12RB		Female thr. 1/2" x 20	6.5					Blister card							
AH13B12		1.5-13	DIN B12					-		KS2	42,5	59	74	Individual box	280
AH13B16	DIN B16		-	Individual box											
AH13M38	Male thr. 3/8" x 24		-	Individual box											
AH13M38B	Male thr. 3/8" x 24		-	Blister card											
AH13F38	Female thr. 3/8" x 24		-	Individual box											
AH13F38R	Female thr. 3/8" x 24		5.5	Individual box											
AH13F38B	Female thr. 3/8" x 24		-	Blister card											
AH13F38RB	Female thr. 3/8" x 24		5.5	Blister card											
AH13F12	Female thr. 1/2" x 20		-	Individual box											
AH13F12R	Female thr. 1/2" x 20		6.5	Individual box											
AH13F12B	Female thr. 1/2" x 20		-	Blister card											
AH13F12RB	Female thr. 1/2" x 20		6.5	Blister card											
AH13SDS	SDS		6.5	Individual box											
AH13SDSB	SDS		6.5	Blister card											
A16F12	3.5-16		Female thr. 1/2" x 20	-	KS2	46	61	78	Individual box					445	
A16B16			DIN B16	-			63	81							




AH13SDS




Standard duty key operated chucks nickel plated

new



Model No.	Drilling capacity mm	Mount	Through hole diameter mm	With key	A mm	B mm	C mm	Packaging style	Weight g
AH06F38RNP	0-6	Female thr. 3/8" x 24	5.5	KH810	30	40	50.5	Individual box	107
AH10F38RNP									
AH10F12RNP	Female thr. 1/2" x 20	6.5							



Key operated chucks for screwdrivers with 1/4" hexagonal male mount to DIN 3126 - E 6.3

Model No.	Drilling capacity mm	With key	A mm	B mm	C mm	Packaging style	Weight g
AH06X1	0-6	KH810	30	40	50.5	Individual box	126
AH06X1B						Blister card	
AH08X1	0-8	KH810	30	43	52	Individual box	135
AH08X1B						Blister card	
AH10X1	1.5-10	KH810	33	49	60	Individual box	180
AH10X1B						Blister card	

Chuck keys



Model No.	Key model	Standard	A mm	Teeth No.	For key chucks type	Packaging style	Weight g
KS1	KS1	DIN S1	4	10	A06-A08	Bulk	10
KS1B						Blister card	
KS1P50						50 pcs. box	
KS2	KS2	DIN S2	6	12	AP08-AP10-A10 A13-A16-AH13	Bulk	40
KS2B						Blister card	
KS2P50						50 pcs. box	
KS2PK	KS2PK	DIN S2	6	12	A13F12PKR	Bulk	59
KS3	KS3	DIN S3	8	12	AP13-AP16 APP16-AP20	Bulk	80
KS3B						Blister card	
KS3P25						25 pcs. box	
KH810	KH810	DIN S14	6	11	AH08-AH10	Bulk	20
KH810B		JACOBS KG				Blister card	
KH810P50						50 pcs. box	
K20	K20	DIN S13 JACOBS K4	9,5	12	AP26	Bulk	120
KS8	KS8	DIN S8 JACOBS K30S	6	10	Black & Decker 13 mm	Bulk	40
KS8B						Blister card	
KS8P50						50 pcs. box	
K1	K1	DIN S7 JACOBS K1	4	11	-	Bulk	10
K1B						Blister card	
K2	K2	JACOBS K2	6,3	11	-	Bulk	40
K2B						Blister card	
K32	K32	DIN S9 JACOBS K32	6,3	10	-	Bulk	60
K32B						Blister card	
KS10	KS10	DIN S10 JACOBS K3	8	11	-	Bulk	70
KS10B						Blister card	
KS4	KS4	DIN S4	9	14	-	Bulk	150
KS4B						Blister card	
K0	K0	JACOBS K0	3	11	A04	Bulk	20
K0B						Blister card	
KJ6	KJ6	CK-3	4	12	Makita 6 mm	Bulk	36
KJ6B						Blister card	
KJ10	KJ10	CK-4	5,5	12	Makita 10 mm	Bulk	53
KJ10B						Blister card	
KJ13	KJ13	CK-5	6,5	12	Makita 13 mm	Bulk	61
KJ13B						Blister card	
KL0	Rubber strap to attach key on power tool cable					Bulk	-